



GS10D2  
GS10D4  
GS12D2  
GS12D4



Instruction Manual  
Mode d'emploi  
Manual de instrucciones  
Bedienungsanleitung  
руководство по  
эксплуатации  
manual de Instruções  
Manuale di istruzioni  
Käyttöohje  
Gebruiksaanwijzing  
Bruksanvisning  
Instruktionsbog  
Kullanma Kılavuzu  
Instrukcja obsługi  
Manual Pemilik  
使用说明书




GS10D2  
GS10D4  
GS12D2  
GS12D4



GS10D2  
GS12D2  $4\Omega$


GS10D4  
GS12D4  $8\Omega$




GS10D2  
GS12D2  $1\Omega$

GS10D4  
GS12D4  $2\Omega$


GS10D2  
GS10D4




MT..... 19 mm (3/4")  
L..... 318 mm (12-1/2")  
W..... 305 mm (12")  
H..... 305 mm (12")  
Vb..... 17 ℓ (0.6 ft<sup>3</sup>)




GS10D2  
GS10D4




- MT..... 19 mm (3/4")
- L..... 445 mm (17-1/2")
- W..... 343 mm (13-1/2")
- H..... 318 mm (12-1/2")
- PD..... 76 mm (3")
- PL..... 330 mm (13")
  
- Vb..... 28.3 ℓ (1 ft<sup>3</sup>)
- Fb..... 33 Hz




GS10D2  
GS10D4




- MT..... 19 mm (3/4")
- L..... 496 mm (17-1/2")
- W..... 343 mm (13-1/2")
- H..... 318 mm (12-1/2")
- PW..... 25 mm (1")
- P1..... 280 mm (11")
- P2..... 165 mm (6-1/2")
  
- Vb..... 28.3 ℓ (1 ft<sup>3</sup>)
- Fb..... 33 Hz




GS12D2  
GS12D4




MT..... 19 mm (3/4")  
L..... 281 mm (15")  
W..... 356 mm (14")  
H..... 343 mm (13-1/2")  
Vb..... 28.8 ℓ (1.02 ft<sup>3</sup>)




GS12D2  
GS12D4




MT.....	19 mm (3/4")
L.....	508 mm (20")
W.....	381 mm (15")
H.....	356 mm (14")
PD.....	102 mm (4")
PL.....	406 mm (16")
Vb.....	42.5 ℓ (1.5 ft <sup>3</sup> )
Fb.....	33 Hz



GS12D2  
GS12D4



MT.....	19 mm (3/4")
L.....	572 mm (22-1/2")
W.....	381 mm (15")
H.....	356 mm (14")
PW.....	38 mm (1-1/2")
P1.....	305 mm (12")
P2.....	254 mm (10")
Vb.....	42.5 ℓ (1.5ft <sup>3</sup> )
Fb.....	33 Hz





# GS10D2

# GS10D4

## GS10D2



Technical Specifications• Spécifications Techniques• Especificaciones Técnicas•  
Technische Daten• Технические характеристики• Especificações Técnicas•  
Specifiche Tecniche• Tekniset Tiedot• Technische Specificaties• Tekniska Specifikationer•  
Tekniske Spøikationer• Teknik Özellikler• Dane Techniczne• Spesifikasi Teknis• 技术规范




Recommendations• Recommendations• Recomendaciones• Empfehlung•  
Рекомендация• Recomendação• Raccomandazione• Suositus• Aanbeveling•  
Rekommendation• Anbefaling• Tavsiye• Rekomendacja• Rekomendasi• 推荐


## GS10D4



Technical Specifications• Spécifications Techniques• Especificaciones Técnicas•  
Technische Daten• Технические характеристики• Especificações Técnicas•  
Specifiche Tecniche• Tekniset Tiedot• Technische Specificaties• Tekniska Specifikationer•  
Tekniske Spøikationer• Teknik Özellikler• Dane Techniczne• Spesifikasi Teknis• 技术规范



Recommendations• Recommendations• Recomendaciones• Empfehlung•  
Рекомендация• Recomendação• Raccomandazione• Suositus• Aanbeveling•  
Rekommendation• Anbefaling• Tavsiye• Rekomendacja• Rekomendasi• 推荐




# GS12D2

# GS12D4

## GS12D2



Technical Specifications• Spécifications Techniques• Especificaciones Técnicas• Technische Daten• Технические характеристики• Especificações Técnicas• Specifiche Tecniche• Tekniset Tiedot• Technische Specificaties• Tekniska Specifikationer• Tekniske Spesifikationer• Teknik Özellikler• Dane Techniczne• Spesifikasi Teknis• 技术规格




Recommendations• Recommendations• Recomendaciones• Empfehlung• Рекомендация• Recomendação• Raccomandazione• Suositus• Aanbeveling• Rekomendation• Anbefaling• Tavsiye• Rekomendacja• Rekomendasi• 推荐


## GS12D4



Technical Specifications• Spécifications Techniques• Especificaciones Técnicas• Technische Daten• Технические характеристики• Especificações Técnicas• Specifiche Tecniche• Tekniset Tiedot• Technische Specificaties• Tekniska Specifikationer• Tekniske Spesifikationer• Teknik Özellikler• Dane Techniczne• Spesifikasi Teknis• 技术规格



Recommendations• Recommendations• Recomendaciones• Empfehlung• Рекомендация• Recomendação• Raccomandazione• Suositus• Aanbeveling• Rekomendation• Anbefaling• Tavsiye• Rekomendacja• Rekomendasi• 推荐



GS10D2  
 GS10D4  
 GS12D2  
 GS12D4

	GS10D2	GS10D4	GS12D2	GS12D4
Revc.....	1 Ω	2.1 Ω	1 Ω	2 Ω
Levc@1kHz.....	.68 mH	1.02 mH	0.68 mH	1.02 mH
Sd.....	346.3 cm <sup>2</sup>	346.4 cm <sup>2</sup>	510.7 cm <sup>2</sup>	510.7 cm <sup>2</sup>
Mmd.....	153 g	139.3 g	186 g	152 g
Mms.....	156.6 g	143 g	192 g	158 g
Cms.....	169 μm/N	154 μm/N	152 μm/N	151 μm/N
Vas.....	29 ℓ	26.4 ℓ	57 ℓ	56.3 ℓ
Fs.....	31 Hz	34 Hz	29.5 Hz	32.5 Hz
BL.....	8.01 TM	11.24 TM	8.27 TM	11.09 TM
Qms.....	7.86	7.36	8.7	8.55
Qes.....	0.50	0.50	0.54	0.52
Qts.....	0.47	0.47	0.51	0.49
Xmax (1-way linear).....	15.7 mm (5/8")	15.4 mm (5/8")	15.7 mm (5/8")	15.4 mm (5/8")
Voice Coil Diameter .....	76 mm (3")	76 mm (3")	76 mm (3")	76 mm (3")
Basket Displacement.....	3.09 ℓ (0.11cu.ft <sup>3</sup> )	3.09 ℓ (0.11 ft <sup>3</sup> )	4.11 ℓ (0.145 cu.ft <sup>3</sup> )	4.11 ℓ (0.145 cu.ft <sup>3</sup> )

**Limited Warranty--USA**

Audiofrog GS Series products sold in the USA through authorized Audiofrog dealers are warranted to the original purchaser against defects in materials and workmanship for one year after the date of original purchase. They are covered for an additional year if they are installed by an authorized Audiofrog dealer. Please save your receipt. A valid receipt from an authorized Audiofrog dealer is required for warranty service. If you have purchased your GB Series products outside the USA, please consult your local distributor for warranty terms and conditions.

Audiofrog, Inc.  
1703 S. Magnolia Ave.  
Monrovia, CA 91016  
[www.audiofrogusa.com](http://www.audiofrogusa.com)

Audiofrog and the Audiofrog logo are trademarks of Audiofrog, Inc, registered in the United States and/or other countries. Audiofrog et le logo sont des marques est une marque commerciale de Audiofrog, Inc déposée aux États-Unis et/ou dans d'autres pays.